

Exam.	Back		
Level	BE	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I (CE504)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. List out the principles of surveying and describe any two of them. [4]
2. A map is drawn to some scale so that a plot of 51750 m² is represented by 4.6cm × 4.5cm on the plan. Calculate the RF of the scale of the map. Draw a scale to read up to a single metre from the map and scale should be long enough to measure upto 600m. [4]
3. A tape of nominal length 30 m is standardized in catenary at 50N tension and found to be 29.8950m. If the mass of the tape is 0.015 kg/m, calculate the horizontal length of a span recorded as 23 m. [6]
4. What is the need of a reference sketch of stations? Explain by giving the sample page of a detailing field book and how offsets values are to be measured and recorded in the detailing field book? [4]
5. Define closing error. Describe about the various plotting method in compass traverse. [4]
6. The following observations were taken with a compass in case of a closed traverse. Calculate the angles and correct the bearings for local attraction, if any. Calculate the true bearings, if declination is 1°30' East. [8]

Line	FB	BB	Declination
AB	51°30'	230°00'	1°30'
BC	182°45'	2°30'	
CD	4°00'	284°45'	
DE	165°15'	345°45'	
EA	251°30'	71°30'	

7. Suggest a best method to transfer RLs from one bank of river to the other bank with derivation. Which type of errors are removed by this above method? [4]
8. The following consecutive readings were taken with a dumpy level and a 4m staff on a continuously sloping ground on a straight line at a common interval of 30m. 0680, 1.455, 1.855, 2.880, 2.800, 3.380, 1.055, 1.860, 2.265, 3.540, (B) 0.835, 0.945, 1.530 and 2.445.
 The RL of B was 1180.750m. Rule out a page of a level field book and enter above readings. Calculate the RLs of the points by the rise and fall method, and also the gradient of the line joining the first and last points. [6]
9. Following staff readings were noted during a two peg test operation:

Instrument Station	Staff Readings		Remarks
	A	B	
At mid point P	1.585	1.287	Distance between A and B = 60.00m
Near A i.e. 6m inside between A and B	1.355	1.045	

Compute the collimation precision. If error is there, compute the correct readings for A and B during II set up and describe the procedure for making the line of collimation in horizontal.

[4+2]

10. What are the principles of plane table surveying? Describe the process of Orientation of plane table by Back sighting with supporting sketch. [4]
11. Explain temporary adjustments of theodolite survey. [4]
12. A direction theodolite with a least count of 10" is set over station 'O' to measure direction to stations A, B, C and D. The observed circle readings are as follows: Compute the mean horizontal angle and adjust them if necessary. Also calculate, missing data of vertical circle reading. [6]

Instrument	Target Station	Telescope	Horizontal Circle Readings	Vertical Circle Readings
O	A	Direct	00°00'10"	120°15'10"
		Reversed	180°00'20"	?
	B	Direct	60°55'10"	?
		Reversed	240°55'20"	308°51'40"
	C	Direct	140°50'50"	?
		Reversed	320°51'20"	269°15'10"
	D	Direct	270°20'10"	177°20'10"
		Reversed	90°20'20"	?
	A	Direct	0°00'20"	89°00'10"
		Reversed	180°00'30"	?

13. Describe selection criteria of Triangulation and Trilateration stations. What are the field applications of Triangulation? [4]
14. From the chainages and offsets given below, find the area between the boundary, the first and last offsets and base line. [4]

Chainages(m)	0	12	20	25	34	42	52
Offsets (m)	0	6.9	7.6	9.8	10.2	9.9	6.8

15. Find the volume of filling in a length of 50m with the following data for a two level section, using the trapezoidal and prismoidal formula, where formation width = 10m, side slope 2:1, transverse slope = 8:1. The ground level at 25m interval are given below.

Chainages (m)	0	25	50
RL of GL	1080.50	1079.80	1078.40

The formation has a downward slope of 1 in 50 with the formation level at 0 chainage being 1081.50m. [8]

16. What is EDM? Describe about the principles of distance measurement techniques in EDM. [4]

Exam.	Regular		
Level	BE	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I (CE504)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions. -
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. Mention the various fundamental principles of surveying and describe about the major three of them by giving suitable examples. [4]
2. What are the selection criteria of scale for drawing a map? A rectangular plot of land of area 0.55 hectare is represented on a map of similar rectangle area of 6.11 cm². Calculate the representative factor of the scale of the map. Draw a scale to read upto a meter from the map. The scale should be long enough to measure upto 400m. [2+4]
3. A 30m steel tape was standardized in catenary condition under a pull of 5 kg and found to be 30.008m. This tape was used to measure a distance of 66m in three equal span in catenary conditions at a pull of 5 kg. The weight of tape was 30 gm/m. Apply necessary tape correction for the measured length of line. [6]
4. Why and how to take offsets to different objects? Describes briefly with neat sketches of detailing field book of chain survey. [4]
5. What is misclosure in compass traverse? Describe about the graphical adjustment of such misclosure during plotting of compass traverse. [4]
6. The fore bearing of line AB of an open traverse ABCDEFGH is 81°45'. The deflection angles between the lines were measured with a theodolite and were as follows: 25°30'(R) at B, 37°45'(L) at C, 45°15'(R) at D, 55°30'(L) at E, 75°15'(L) at F and 80°00'(R) at G. If the FB of the last line observed was 63°00'. Check whether the observations for deflection angles are correct or not. If not compute the correct bearings of all the lines. [8]
7. Discuss briefly the effect of curvature and refraction in levelling. Derive an expression for curvature correction and for combined curvature and refraction correction. [4]
8. A page of a level field book with some missing data are given below. Find those missing data and calculate the reduced levels of all the points. [6]

Stations	BS	IS	FS	Rise (+)	Fall (-)	RL (m)	Remarks
A	3.250					1249.260	
B	1.755		?		0.750		CP ₁
C		1.950			?		
D	?		1.920	?			CP ₂
E		2.340		1.500			
F		?		1.000			
G	1.850		2.185		?		CP ₃
H		(-) 1.575		?			
I		?			2.820		
J	?		1.895		?		CP ₄
K			(-) 1.350	?			
	ΣBS = 12.795						

9. Reciprocal leveling was conducted across a wide river to determine the difference in level of points A and B, A situated on one bank of the river and B situated on the other. The following results on the staff held vertically at A and B from level stations 1 and 2, respectively, were obtained. The level station 1 was near to A and station 2 was near to B.

Instrument at	Staff reading on	
	A	B
1	1.486	1.726
2	1.191	1.416

If the reduced level of B is 1260.18 m above the datum, what is the reduced level of A? Assuming that the atmospheric conditions remain unchanged during the two sets of the observations, calculate

- a) The combined curvature and refraction correction if the distance AB is 300 m, and
 b) The collimation error [6]
10. Describe about the reliable method of orientation of plane tabling and at what circumstances intersection method of plane tabling is more preferable than radiation. [4]
11. Explain briefly about the temporary adjustments of a theodolite. [4]
12. The following observations were recorded in a theodolite traverse ABCDA. Compute the mean horizontal angles and missing readings by entering the following readings in a standard booking format. [6]

Instrument Stations	Target Stations	HCR Observations		VCR Observation	
		Direct	Reversed	FL	FR
A	D	89°59'50"	270°00'10"		
	B	160°12'40"	340°12'30"		
B	A	90°00'00"	269°59'40"	120°14'20"	?
	C	179°08'40"	359°08'30"		
C	B	90°00'00"	269°59'50"		
	D	200°25'40"	20°25'20"		
D	C	90°00'10"	270°00'00"	?	308°51'20"
	A	180°16'10"	00°16'00"		

13. Define trilateration. Write down the General specifications of 2nd and 3rd order triangulation. [4]
14. The following offsets were taken at 20m interval from a survey line to an irregular boundary line 0.00m, 1.53 m, 5.37 m, 3.50 m, 4.32 m, 7.25 m, 4.30 m, 6.55 m. Calculate the area enclosed between the survey line by (i) Trapezoidal Rule (ii) Simpson's 1/3 rule. [4]
15. Find the volume of cutting in a length of 60m with the following data for a two level section using the trapezoidal and prismoidal formula, where formation width = 9m, side slope 2:1, transverse slope = 6:1. The ground levels at 30m interval are given below.

Chainages (m)	0	30	60
RL of GL (m)	1181.50	1181.80	1182.40

The formation has a downward slope of 1 in 40 with the formation level at 0(zero) chainage being 1179.00m. [6]

16. What are the principles of actual operation of EDM? Describe the sources of errors of EDM. [4]

Exam.	Back		
Level	BE	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I (CE504)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Define surveying. Explain its importance of civil engineers. [4]
- b) Explain perpendicular and oblique offset with neat sketch. [4]
- c) A steel tape was exactly 20 m long at 20°C when supported throughout its length under pull of 100 N. A line was measured with this tape under pull of 160N at mean temperature of 30°C and found to be 1020 m long. The cross sectional area of tape is 0.03 cm², weight per meter length is 24 gm, coefficient of thermal expansion for steel is 11×10⁻⁶/°C and modulus of elasticity of steel is 2.1×10⁶ kg/cm². Find true length of line if tape was supported at every 10 m during measurement. [8]
2. a) Explain whole circle bearing and reduced bearing of Compass Survey with neat sketch. [4]
- b) Write the propagation of electromagnetic energy. [4]
- c) The bearing of a closed traverse ABCDEEA are given as follows, find the stations affected by local attraction and correct them if necessary. [8]

Line	Fore Bearing	Back Bearing
AB	216°30'	36°10'
BC	135°55'	316°25'
CD	81°30'	260°30'
DE	321°10'	141°20'
EF	246°20'	66°50'
FA	299°20'	119°00'

3. a) State the points to be considered in fly leveling. [4]
- b) Explain reciprocal leveling with neat sketch. [4]
- c) The following consecutive readings were taken with a Level and a 4 m leveling staff on continuously sloping ground at a common interval of 30 m. [8]

0.585 on A, 0.936, 1.953, 2.846, 3.644, 3.938, 0.962, 1.035, 1.689, 2.534, 3.844, 0.956, 1.579, 3.016 on B

The elevation of B was 1120.450. Make up the level field book and apply the usual checks. Find the gradient between first and last point.

4. a) The following offsets were taken from a chain line to hedge. [8]

Distance (m)	0	5	10	15	20	25	30	35	40
Offset(m)	0	2.5	5	7.5	8.8	7.5	6.5	3.5	0

Calculate the area enclosed between the chain line and hedge by,

- i) The Simpson's rule
 - ii) The trapezoidal rule
- b) The following observations were recorded in a theodolite traverse ABCDA. Compute the mean horizontal angles and adjust them if necessary. [8]

Inst. Station	Target Station	Horizontal circuit reading	
		Face Left	Face Right
A	D	90°00'00"	269°59'30"
	B	204°25'40"	24°25'30"
B	A	90°00'00"	270°00'30"
	C	190°36'10"	10°36'00"
C	B	90°00'00"	269°59'50"
	D	169°08'40"	349°09'20"
D	C	90°00'00"	270°00'00"
	A	165°12'40"	345°12'30"

5. Write short notes on: (any four) [4×4]

- i) Principles of chain survey
- ii) Advantages and disadvantages of plane table survey
- iii) Principle of triangulation and trilateration
- iv) Temporary adjustment of theodolite
- v) Sources of error in leveling

Exam.	New Back (2066 & Later Batch)		
Level	BE	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I (CE504)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Explain about the objectives of surveying. Differentiate between plane and geodetic surveying. [4]

b) Give a list of sources of errors in linear measurements and say which of them are cumulative and which are compensating. [4]

c) A steel tape was exactly 30 m long at 20°C when supported throughout its length under a pull of 10 kg. A line was measured with this tape under a pull of 15 kg and at a mean temperature of 32°C and found to be 780 m long. The cross section area of tape = 0.03 cm² and its total weight = 0.693 kg. α for steel = 11×10^{-6} per °C and E for steel = 2.1×10^6 kg/cm². Compute the true length of the line if the tape was supported during measurement at every 15 m. [8]

2. a) With neat sketches explain about types of field books in chain survey. [4]

b) Explain Graphical method of adjusting a traverse in compass survey. The following bearing was observed in a compass traverse. [4]

c)

Line	FB	BB
AB	69°30'	246°30'
BC	191°30'	13°00'
CD	230°15'	53°00'
DE	262°45'	80°45'
EA	32°15'	210°30'

At which of these stations would local attraction be suspected? Find the corrected bearing of the lines. [8]

3. a) Why reciprocal levelling is done? Also derive the formula for reciprocal levelling. [6]

b) The consecutive readings taken during a levelling operation are as follows: 0.685, 1.315, -1.825, -0.635, 1.205, 1.235, 2.631, 1.355, -2.015. The instrument was shifted after the third and sixth readings. The third reading was taken to a benchmark of assumed elevation 100.00. Find the reduced levels of other points. [6]

c) What is the purpose of L-sectioning and cross section levelling, Explain with field procedure. [4]

4. a) Explain temporary adjustments of theodolite survey. Also show the different fundamental lines of theodolite. [4]
- b) During the Survey of suspension bridge the following observations were made in triangle ABC. AB is the bridge axis. The least count of the instrument is 01'00". [8]

Inst. Station	Sighted to	Horizontal circle reading	
		Face Left	Face Right
A	B	0° 00'00"	180°00'20"
	C	54°38'20"	234°38'00"
B	C	0° 00'00"	179°59'50"
	A	89°20'40"	269°21'00"
C	A	0° 00'00"	180°00'00"
	B	36°01'00"	215°58'20"

Compute the angles by mean direction method and correct them if necessary. If the length of line BC is 58.232m, find the span of bridge axis AB.

- c) Explain briefly different types of triangles used in triangulation system with sketches. Write down the specification of 1st order triangulation. [4]
5. a) Explain the working principle of plane table survey and explain orientation by back sighting. [4]
- b) Find the volume of cutting in a length of 60 m with the following data for a two level section using the prismatical and trapezoidal (average end area) formula. Also calculate the prismatical correction. Formation width = 9m, side slope = 2:1, transverse slope = 6:1. The ground levels at 30 m intervals are given below: [8]
- Chainage: 0 30 60
- GL (m): 281.50 281.80 282.40
- The formation has a downward slope of 1 in 40 with the formation level at 0 chainage being 279.00 m.
- c) Workout co-ordinates method for finding Area. [4]

Exam.	Regular		
	Level	BE	Full Marks
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I (CE504)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Explain distance measurement in sloping ground. [4]
- b) A 30 m steel tape was standardized in catenary condition under pull of 5 kg and found to be 30.015m. The tape was used to measure distance of 24.726 m in catenary conditions at a pull of 5 kg. The weight of the tape was 30 gm/m. Apply necessary tape correction. [6]
- c) A plan represents an area of 18000 m² and measures 8 cm×9 cm. Find the scale of the plot and indicate through a sketch how a suitable scale can be constructed to read up to 1 m in the plan. If the same plan is to be drawn on a topo sheet with a scale of 1:12500, what will be the represented area of that plan on the sheet? [6]
2. a) Explain calculation of internal angles in Q.B system. [4]
- b) Explain the field procedure for chain surveying. [4]
- c) The following bearings are observed in a compass traverse survey. [8]

Line	AB	BC	CD	DE	EA
Fore Bearing	S11°30'W	N67°30'E	N32°15'E	S82°45'W	S50°15'W
Back Bearing	N13°00'E	S66°30'W	S30°30'W	N80°45'E	N53°00'E

Apply necessary checks and determine the corrected bearings.

3. a) Explain personal errors in leveling, intersection method in plane table. [2+2]
- b) A leveling instrument was set up exactly mid way between two pegs 50 m apart at A and B. The staff readings were 1.875 and 1.790 m respectively. The level was shifted to a point 5 m from B on the line AB produced and the staff readings were 1.630 and 1.560 m. Determine the correct staff readings when the line of collimation is exactly horizontal during 2nd set up. [6]
- c) Following readings were taken during a leveling work from TBM₁ to TBM₂. 2.191, 2.505, 2.325, 1.496, 3.019, 2.513, 2.811, 1.752 and 3.824 m. Level instrument was changed after 4th and 7th readings. Enter the above readings in a level book format and compute RLs of all the point and adjust the RLs if error arise. RLs of TBM₁ and TBM₂ are 449.870 and 448.710 m respectively. [6]

4. a) Explain triangulation, trilateration and graphical intersection in plane tabling. [6]
 b) Explain about the construction principles of theodolite and uses of theodolite. [4]
 c) The following observations were recorded in a theodolite traverse ABCDEA. Compute the mean horizontal angles and adjust them if necessary. [6]

Inst. Stn	Target stn	HCR observation	
		Direct	Reversed
A	D	90°00'10"	269°59'40"
	B	200°25'40"	20°25'30"
B	A	89°59'30"	270°00'10"
	C	180°16'10"	00°16'00"
C	B	90°00'0"	269°59'50"
	D	179°08'40"	359°08'20"
D	C	89°59'50"	270°00'10"
	A	160°12'40"	340°12'30"

5. a) What is EDM? Explain principles of EDM for measuring horizontal distances. [4]
 b) Find the volume of cutting in a length of 60 m with the following data for a two level section using the prismoidal and trapezoidal formula (average end area). Also calculate the prismoidal correction. Formation width = 10 m, Side slope = 2:1, Transverse slope = 6:1. The ground levels at 30 m intervals are given below. [8]

Chainage (m)	0	30	60
GL (m)	540.70	541.00	541.60

The formation has a downward slope of 1 in 40 with formation level at 0 chainage being 538.20 m.

- c) Calculate the area of transverse by double meridian distance method. [4]

Line	PQ	QR	RS	SP
Latitude (m)	-300	640	100	-440
Departure (m)	450	110	-380	-180

01 TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2070 Chaitra

Exam.	Old Back (2065 & Earlier Batch)		
Level	BE	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I (EG525CE)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt any Five questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Define the term surveying. Differentiate between geodetic surveying and plane surveying. [4]
- b) What is graphical scale? Explain its importance on the map. [4]
- c) A 30 m tape weighing 8.9 N and has a cross sectional area of 2.58 mm² was standardized and found to be 30.005 m at 20° C with 52 N tension at fully supported condition. This tape was used for measuring the distances at constant temperature of 31.2° C and pull applied 110 N. The tape was supported at 0 and 30 m end. The observed distance was 630 m. Calculate the correct horizontal distance between points. Take coefficient of linear expansion of tape $\alpha = 12 \times 10^{-6}/^{\circ}\text{C}$ and Young's modulus of elasticity of tape material. $E = 12 \times 10^{11} \text{N/m}^2$. [8]
2. a) Explain basic principles of chain survey and describe the field procedure of chain survey. [6]
- b) The following bearings were observed in a compass traverse. [10]

Line	AB	BC	CD	DE	EA
FB	305°00'	75°30'	115°30'	166°30'	225°00'
BB	125°30'	254°30'	297°30'	345°00'	450°00'

At what stations do you suspect local attraction? Find the correct bearings of all the lines.

3. a) Explain about graphical adjustment of compass traverse. [6]
- b) Explain the principles of levelling. Describe reciprocal levelling with sketch. [10]
4. a) A levelling operation is carried out in a closed loop. Fill all the missing data of a levelling field book and do the arithmetic check also. [10]

Stations	BS	IS	FS	Rise	Fall	RLs(m)
A	?					?
B		2.572			0.319	295.909
C	?		1.987	?		?
D		0.918			0.236	?
E	?		?	1.433		?
F			2.115	?		298.848
G		1.750			?	?
H	?		2.057		?	?
A			1.456		1.847	?

Exam.	Regular		
Level	BE	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I (CE504)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Define the term surveying and differentiate between geodetic and plane surveying. [4]

b) What are the corrections applied in the linear measurement? Explain briefly. [4]

c) A 20m steel tape standardized in catenary at a temperature of 12.5°C and a pull of 100N was found to be 19.978m. This tape was used to measure a base line. Throughout the measurement the tape was used in catenary for each tape length. Find the correct length of the baseline if the temperature during measurement was 25°C and pull applied was 150N weight of steel is 0.077 N/cm³. The weight of suspended tape was 7.85 N. Take $E = 2.10 \times 10^5 \text{ N/mm}^2$ and $\alpha = 12 \times 10^{-6} / ^\circ\text{C}$. The measured base line distance was 1120m. [8]

2. a) Explain briefly about the field procedure of chain survey. [4]

b) Explain briefly about radiation and intersection methods of plane table survey, [4]

c) The following bearings were observed in a compass traverse. [8]

Line	AB	BC	CD	DE	EA
FB	305°30'	75°30'	115°30'	166°30'	225°00'
BB	125°30'	254°30'	297°30'	345°00'	44°00'

At which stations do you suspect local attraction? Find the correct bearing of all the lines.

3. a) In which condition reciprocal levelling is used. Also derive the formula for reciprocal levelling. [6]

b) A levelling operation is carried out in a closed loop. Fill all the missing data of a levelling field book given below: [10]

Station	BS	IS	FS	Rise	Fall	RL
A	?					?
B		2.572			0.319	295.909
C	?		1.987	?		?
D		0.918			0.236	?
E	?		?	1.433		?
F	1.372		2.115	?		298.848
G		1.750			?	?
H	?		2.057		?	?
A			1.456		1.847	?

4. a) What are the temporary adjustments in theodolite survey? Explain. [8]

b) Develop a booking format for recording 2 set horizontal angle with appropriate numerical example. Calculate the mean horizontal angle also. [4]

c) Distinguish between triangulation and trilateration. [4]

5. a) What is meridian distance and double median distance? How it can be calculate? [4]

b) Write the working principle of EDM equipment. [4]

c) Calculate the area by the coordinate method from the following perpendicular offsets taken from a chain line to a boundary. [8]

Chainage (m)	0.00	3.75	6.50	11.30	16.45
Offsets (m)	1.45	2.50	2.95	2.10	2.35

Exam.	Regular		
Level	EE	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I (CE 504)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Differentiate between geodetic and plane surveying. [2]
- b) Explain briefly how a distance can be measured by the method of phase comparison. [6]
- c) A 30m steel tape standardized in fully support condition at a temperature of 20°C and pull of 100N was found to be 19.985m. This tape was used to measure a line under a pull of 120N and a mean temperature of 17°C was found to be 1350m long. Throughout the measurement, the tape was used in catenary condition. Find the correct length of the line. Take weight of steel as 0.081N/cm³, the weight of tape as 11.775N, $E = 2.10 \times 10^5 \text{N/mm}^2$ and $\alpha = 11 \times 10^{-6}/^\circ\text{C}$. [8]
2. a) What are the methods of plane table survey? Explain each. [4]
- b) What is principle of chain survey? Explain in brief. [4]
- c) Following are the bearings observed in a compass traverse survey. At what stations do you suspect local attraction? Correct them by applying suitable correction method. [8]

Line	FB	BB
AB	191°30'	13°00'
BC	79°30'	256°30'
CD	32°15'	210°30'
DE	262°45'	82°15'
EA	230°15'	53°00'

3. a) What do you mean by two peg test? [4]
- b) A level was set up at mid point between two stations A and B. The distance to stations A and B was 60m and the reading on the staff held at stations A and B was 1.855m and 1.625. Then level was moved near to station B and the reading on the staff held at A and B was 2.385m and 2.655 respectively. Calculate the collimation error and its sign (upward or down ward). [12]
4. a) Explain classification of Triangulation system. [6]
- b) Prepare a field note of measurement of horizontal angles by direction and repetition methods. [10]
5. a) Explain area calculation by double meridian method. [8]
- b) Workout prismoidal formula to calculate volume. [8]

Exam.	Regular / Back		
	Level	BE	Full Marks
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Distinguish between plane and Geodetic surveying and how do you classify the surveying in various ways? [8]
- b) A steel tape was exactly 20m long at 10°C when supported throughout its length under a pull of 5 kg. A line measured with this tape under a pull of 16 kg and at a mean temperature of 22°C, was found to be 680m long. Assuming the tape is supported at every 10m; find the true length of the line. Give that the cross sectional area of the true length of the line. Given that the cross-sectional area of the tape = 0.03 sq.cm, $E = 2.1 \times 10^6$ kg/sq.cm, $\alpha = 11 \times 10^{-6}$ per°C, weight of tape = 10gm/cu.cm. [8]
2. a) What is meant by relative error of closure in compass traversing? Explain the adjustment of error graphically. [8]
- b) The following observations were taken in a closed traverse ABCDEA where local attraction was suspected. [8]

Line	FB	BB
AB	191°30'	13°00'
BC	69°30'	246°30'
CD	32°15'	210°30'
DE	262°45'	80°45'
EA	230°15'	53°00'

Give the corrected bearings of the traverse legs by included angle method.

3. a) What is profile levelling? Explain the term "balancing of sight" in leveling operation. [8]
- b) The following consecutive readings were taken with a level and 5 meter levelling staff on a continuously sloping ground at a common interval of 20 meters, 0.385 (Point A), 1.030, 1.925, 2.825, 3.730, 4.685 (Point B), 0.625, 2.005, 3.110, 4.485 (Point C), 0.975, 1.382, 1.836, 2.702, 3.59 (Point D). The reduced level of the point B was 1200.800m. Rule out a page of a level field book and enter the above readings. Calculate the reduced levels of the points by rise and fall method and the gradient of the line joining the first and the last point. [8]
4. a) Differentiate between triangulation and trilateration and explain the principle of electronic distance measurement. [4+4]

- b) The following observations were recorded in a theodolite traverse ABCDA. Compute mean horizontal angles and adjust them if necessary. [8]

Inst. St ⁿ	Target st ⁿ	Horizontal Circle Reading	
		Face Left	Face Right
A	D	90°00'10"	269°59'50"
	B	209°25'40"	29°25'30"
B	A	89°59'30"	270°00'10"
	C	180°16'10"	00°16'00"
C	B	90°00'00"	269°59'50"
	D	179°08'40"	359°08'20"
D	C	89°59'50"	270°00'10"
	A	160°12'40"	340°12'30"

5. a) i) Explain orientation by back sighting in plane table surveying. [4]
 ii) What are the various offsets? Explain booking method for offsets in chain surveying. [4]
- b) The following offsets were taken at 20m interval from a survey line to an irregular boundary line: 0.00m, 1.53m, 5.37m, 3.50m, 4.32m, 7.25m, 4.30m, 6.55m, 4.25m, 7.30m, 6.25m and 4.19m. Calculate the area enclosed between the survey line, the irregular boundary line, and the first and last offsets, by (i) Trapezoidal Rule and (ii) Simpson's Rule. [8]

5-202

Exam.	Regular/Back		
	Level	BE	Full Marks
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt **All** questions.
- ✓ The figures in the margin indicate **Full Marks**.
- ✓ Assume suitable data if necessary.

1. a) What are plane and geodetic survey? What are the secondary classifications of survey? [4+4]
- b) Differentiate between errors and mistakes with examples. [4]
- c) List eight methods of linear measurements. [4]
2. a) A steel tape 30m long weighs 0.7 kg and is used with supports at the ends only. A line is measured in three segments using a 5 kg pull and the length was recorded as 76.35m. What is the length of the line corrected for sag? [6]
- b) ~~You are to conduct a chain survey field work. Make a list of persons and equipments you require for the purpose and give the salient procedural steps you will follow.~~ [4]
- c) Define trilateration. Explain principles of electronic distance measurement (EDM). [2+4]
3. a) What are closing error and relative precision in compass traversing? How would you adjust it graphically? [3+4]
- b) The following angles to the right were obtained in a close link traverse in between two adjusted known lines XP and TY. Compute the angular misclosure, if any, on that traverse and adjusted bearings of the traverse lines. [9]

Stations	Angles to the right	Bearings
X		
P	92°30'	148°15'
Q	228°30'	
R	115°15'	
S	52°45'	
T	298°45'	
Y		36°45'

4. a) What is reciprocal levelling? Explain how precision could be checked during reciprocal levelling. [4+2]
- b) The following consecutive staff readings were taken by a level and 4m levelling staff on pegs at 15m interval on a continuously sloping ground. [10]

0.895, 1.305, 2.805, 0.965, 2.695, 3.255, 1.120, 2.825, 3.450, 3.895, 1.685, 2.050 (Station A)

RL of station A where the reading 2.050 was taken is known to be 1250.250m. From the last position of the instrument, two station B and C with RLs 1250.800 and 1251.250m respectively are to be established without disturbing the instrument. Work out the required staff readings at stations B and C and complete all the works in level book form.

5. a) A direction theodolite with a least count of 6 second is set over station D to measure directions to stations C, B and A. The observed directions from that position are as follows:

[3+5]

Stations	Telescope	Horizontal Circle Readings
C	Direct	00°00'00"
	Reversed	179°59'48"
B	Direct	83°06'48"
	Reversed	263°06'36"
A	Direct	242°35'24"
	Reversed	62°35'12"

Compute an abstract of average direction of CD, CB and CA and compute the average angles of CDB, BDA and ADC.

- b) Explain the procedure for solving two point resection of plane tabling.

[8]

OR

What is triangulation? Write their specifications.

Exam.	Regular / Back		
Level	BE	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What are plane and geodetic survey? Write the principles of surveying. [8]
 b) Explain various corrections applied in linear measurement. [8]
2. a) Make a field book for chain survey. Explain various types of obstacles in chain survey and the methods to overcome those obstacles. [7]
 b) A 30m steel tape measured 30.015m when standardized fully supported under a 70N tension at a temperature of 20°C. The density of tape material is $7.75 \times 10^3 \text{ kg/m}^3$ and had a cross-sectional area of 0.028 cm^2 . What is the true length of the recorded suspended distance AB for the following condition? Recorded distance = 114.095m. Mean temperature = 32°C. Tension applied = 100N, Elevation difference per 100m = 2.5m, $\alpha = 1.15 \times 10^{-5} / ^\circ\text{C}$, $E = 2.10 \times 10^5 \text{ N/mm}^2$. Assume all full tape length except in the last one. [9]
3. a) Explain fore bearing, back bearing, quadrantal bearing and whole circle bearing and local attraction. [7]
 b) The following fore and back bearings were observed while traversing in an area with compass. [9]

Line	F.B.	B.B.
PQ	S 37°30' E	N 37°30' W
QR	S 43°15' W	N 44°15' E
RS	N 73°00' W	S 72°15' E
ST	N 12°45' E	S 13°15' W
TP	N 60°00' E	S 59°15' W

Find the corrected bearings of the line and also the interior angles of the traverse.

4. a) What are cross-sections and profile levelling, explain briefly. [7]
 b) The following consecutive staff readings were taken by a level and 4m levelling staff on pegs at 15m interval on a continuously sloping ground. [9]
 0.895, 1.305, 2.805, 0.965, 2.695, 3.255, 1.120, 2.825, 3.450, 3.895, 1.685, 2.050 (Station A).
 R.L. of station A where the reading 2.050 was taken is known to be 1250.250. From the last position of the instrument, two station B and C with RL 1250.800 and 1251.000m respectively are to be established without disturbing the instrument. Work out the required staff readings at stations B and C and complete all works in level book form.
5. a) What is two point problem in plane table resection? Write advantages and disadvantages of plane table survey. [8]
 b) What is triangulation and trilateration? Write the specifications of different types of triangulations. [8]

Exam.	Back		
Level	BE	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I

Candidates are required to give their answers in their own words as far as practicable.

Attempt any Five questions.

✓ The figures in the margin indicate Full Marks.

✓ Assume suitable data if necessary.


1. a) What are plane and geodetic survey? Explain the principles of surveying. [7]
b) A steel tape weighing 0.68 kg was standardised on the flat and found to have length 49.996m at 20°C, tension 5 kg. It was used in catenary at the same tension to measure a horizontal base, at average temperature 26°C, and the readings on the successive sections were 49.105, 49.373, 48.976, 49.817 and 34.353. What was the correct length of the line. Take $\alpha = 12 \times 10^{-6}$ per °C. [9]
2. a) What are the obstacles in chain survey? Explain the methods of overcoming those obstacles. [7]
b) P and Q are two points 400m apart on the same bank of the river. The bearing of a tree on the other bank observed from P and Q are N40°30'E and N37°45'W respectively. Find the width of the river if bearing of PQ is S85°30'E. [8]
3. a) What are the difference between prismatic compass and surveyor's compass? [8]
b) Following bearings were observed with a compass for traversing. Find the amount of local attraction and correct bearings as well as true bearings if the magnetic declination is 7°W. [8]

Line	FB	BB
AB	59°00'	239°00'
BC	139°30'	317°00'
CD	215°15'	36°30'
DE	208°00'	29°00'
EA	318°30'	138°45'


4. a) What are cross-section and profile levelling? Explain with suitable sketches. [7]
b) The following readings were successively taken with a level; [9]
0.35, 0.487, 0.696, 1.675, 1.893, 2.416, 1.823, 0.487, 0.759, 1.350 and 2.057. The instrument was shifted after the forth and seventh readings. Prepare a level book and calculate the RLs of different points if the RL of the 4th point is 562.50m. Use both the methods.
5. a) What are radiation and intersection methods of P.T. survey, explain briefly. [8]
b) Write the advantages and disadvantages of P.T. survey. [8]
6. a) What are the temporary adjustment in theodolite survey, explain. [7]

b) Find horizontal and vertical angles in the following cases.

[9]



Find H.A. BAC



Find V.A. P to Q

Exam. Level	Regular/Back		
	BE	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What are the primary divisions of surveying? Explain the principles of surveying. [8]
- b) What are plain, diagonal and vernier scales? Make appropriate sketches and show some measurements. [8]
2. a) What are the various corrections applied in linear measurement? Explain. [7]
- b) A tape standardised as 29.995m in catenary at 110N and 15°C temperature is used in the field with a tension of 90N and 22°C mean temperature. Calculate the horizontal length if the recorded length is 120.0m. Assume mass of the tape = 0.0312 kgm^{-1} , Young's modulus of elasticity = $2.1 \times 10^6 \text{ kg/cm}^2$, cross-sectional area of tape = 0.03 cm^2 , linear expansion of tape = 11×10^{-6} per °C. [10]
3. a) What are quadrantal and whole circle bearings, fore and back bearings and local attraction in compass survey, explain. [7]
- b) Find the corrected bearings of the following traverse and also the included angles. [9]

Line	FB	BB
AB	191°30'	13°00'
BC	69°30'	246°30'
CD	32°15'	210°30'
DE	262°45'	82°45'
EA	230°15'	53°00'

4. a) What are the cross-section and profile levelling? Explain with proper sketches. [7]
- b) During a fly levelling operation, the following observations were made: [9]
 BS: (-)1.650, 2.155, 1.405, 2.655, 2.435m
 FS: 2.455, 1.305, 0.555, 2.405m
 The first backsight was taken on a BM of RL 1290.500m with inverted staff. From the last backsight, it is required to set four pegs each at a distance of 20m on a falling gradient of 1 in 100. Calculate the RL (Reduce levels) of these four pegs. [9]
5. a) What are the methods of plane table traversing? Explain procedure for radiation and intersection and their suitability with sketch. [6]

b) The following are the field notes of theodolite survey on traverse ABCDA.

[10]

Station	Sighted to	Horizontal Circle Readings					
		Face Left			Face Right		
		deg.	min.	sec.	deg.	min.	sec.
A	D	00	00	00	179	59	50
	B	60	42	20	240	42	10
B	A	00	00	00	180	00	10
	C	98	55	40	278	55	50
C	B	00	00	10	180	00	00
	D	82	12	30	262	12	20
D	C	00	00	10	179	59	50
	A	118	10	30	298	10	10

Compute the horizontal angles and correct them if necessary.

Exam.	R	lar/Back	
Level	BE	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I

- Candidates are required to give their answers in their own words as far as practicable.
- Attempt All questions.
- The figures in the margin indicate Full Marks.
- Assume suitable data if necessary.

- a) Explain the principles of surveying. [6]
- b) With the help of neat sketches, explain field procedure of chain surveying. [10]
- a) Differentiate between cumulative and random errors. [6]
- b) A 30m steel tape was standardised in catenary condition at a temperature of 20°C under a pull of 5kg and found to be 30.005m. The tape was used to measure the distance in fully support condition at a temperature of 25°C under a pull of 12 kg and found to be 28.00m. The cross sectional area of tape is 0.02cm², its weight per unit length is 22gm/meter, Young modulus of elasticity E = 2.0×10⁶ kg/cm², coefficient of linear expansion of tape α = 11×10⁻⁶/°C. Find the correct horizontal distance. [10]
- a) Describe the field procedure of compass traversing. [6]
- b) The observed fore and back bearings of the lines of a closed compass traverse are as follows. [10]

Line	FB	BB
AB	104°30'	284°30'
BC	48°00'	226°00'
CD	290°30'	115°15'
DA	180°15'	357°30'

Calculate the interior angles and correct them. Also compute the correct bearings of all the sides.

- a) What is collimation error in level instrument? How is it detect and adjust in the field? [6]
 - b) In running a fly level from a bench mark of RL 1291.610m, the following readings were obtained. [10]
- Back Sight : 2.543 (B.M.), 2.094, 1.916, 2.725
 Fore Sight : 1.645, 1.436, 0.956, 1.855
 Prepare a level book and compute reduced levels with necessary checks.
- c) What are the methods of resection? Explain briefly how is it solve by trial and error method. [6]

b) The following are field note of theodolite survey.

[10]

Station	Sighted to	Horizontal circle reading (direct)			Horizontal circle reading (reverse)		
		degree	minute	second	degree	minute	second
A	C	0	00	10	180	00	00
	B	30	00	20	210	00	00
B	A	0	00	00	180	00	20
	C	60	00	00	240	00	10
C	B	0	00	10	180	00	00
	A	90	00	05	270	00	10

Compute horizontal angles and apply check.

Exam.	Regular / Back		
	Level	BE	Full Marks
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What are plane and geodetic surveying, explain briefly. Write the principles of surveying. [4+4]
- b) Explain what are the corrections applied in linear measurement. Sketch out plain, diagonal and vernier scales. [5+3]
2. a) Explain, how can you overcome different types of obstacles in chain survey. [6]
- b) A line was measured with a steel tape which was exactly 30 meters at 20°C at a pull of 100N, the measured length being 1650.00 meters. The temperature during measurement was 30°C and the pull applied was 150N. Find the length of the line, if the cross-sectional area of the tape was 0.025 sq.cm. The coefficient of expansion of the material of tape per 1°C = 3.5×10^{-6} and the modulus of elasticity of the material of the tape = $2.1 \times 10^5 \text{ N/mm}^2$. [10]
3. a) What is linear misclosure in compass traverse? Explain adjusting misclosure graphically. [6]
- b) The following bearings were observed in case of a closed traverse. At what stations local attraction is suspected. Compute the corrected bearings and find the interior angles of the traverse. [10]

Line	F.B.	B.B.
AB	S 40°30' W	N 41°15' E
BC	S 80°45' W	N 79°30' E
CD	N 19°30' E	S 20°00' W
DA	S 80°00' E	N 80°00' W

4. a) What are the methods of reducing the levels, explain briefly. [6]
- b) The following consecutive readings were taken with a level and a 4 meter levelling staff on continuously slopping ground at a common interval of 30m. [10]
 0.585 on A, 0.936, 1.953, 2.846, 3.644, 3.938, 0.962, 1.035, 1.689, 2.534, 3.844, 0.956, 1.579, 3.016, on B.
 The elevation of B was 1120.450. Make up a level field book and apply the usual checks. Find the gradient between first point and last point.
5. a) Explain briefly various methods of plane table survey. [8]
- b) Explain methods of measuring horizontal angles in theodolite survey. [8]

OR

Distinguish between triangulation and trilateration.

Exam. Level	Regular/Back		
	B.E.	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I


- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What are plain and geodetic surveying? Explain the principles of surveying with illustrative examples. [6]
- b) A 50m steel tape weighing 0.68 kg was standardised on the catenary and found to have length 49.996m at 20°C, tension 5 kg. Calculate the horizontal length of 30m span at 26°C. [10]
2. a) What are the obstacles in chain survey and how can you eliminate those obstacles, explain briefly. [6]
- b) A survey line AB is obstructed by a high building. To prolong the line beyond the building, a perpendicular BC 121.92m long is sit at B. From C two lines CD and CE are set out at angles of 30° and 40° with CB respectively. Determine the lengths CD and CE so that D and E may be on the prolongation of AB. If the chainage of B is 95.10m. Find the chainage of D. Draw a sketch showing all the points. [10]
3. a) Write in brief on variations in magnetic declination. [6]
- b) The following bearings were observed in running a compass traverse. [10]


Line	Fore bearing	Back bearing
AB	66°15'	244°0'
BC	129°45'	313°0'
CD	218°30'	37°30'
DA	306°45'	126°45'

Find the corrected fore and back bearings, and the true bearings of the lines, given that the magnetic declination is 8°40'E.

4. a) What are cross-sections and longitudinal sections in levelling. Make appropriate sketches. [8]
- b) Distinguish between intersection and resection methods of plane table survey. [8]
5. a) Write the temporary adjustments in theodolite survey. [8]
- b) Find the horizontal angle ABC from the following field observations and also the vertical angle from P to Q. [8]



Find horizontal angle ABC.



Find vertical angle from P to Q

Exam.	Back		
	Level	BE	Full Marks
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ *Attempt All questions.*
- ✓ *The figures in the margin indicate Full Marks.*
- ✓ *Assume suitable data if necessary.*

1. a) Distinguish between plane surveying and geodetic surveying. [4]
- b) Define ranging and explain the method of ranging when high ground intervenes between two stations. [4]
- c) The following slope distances were measured along a chain line with 30m tape. [8]

Slope distance (m) = 25.50, 24.60, 28.70, 29.50 and 18.50

Difference of elevation between ends (m) = 2.50, 5.30, 3.35, 2.50 and 1.50.

It was noted afterwards that the tape was 2cm too long. Find the true horizontal distance.

2. a) Describe the working principle of plane table survey. [8]
- b) A chain line AB intersects a pond. Two points P and Q are taken on the chain line on opposite sides of the pond. A line PR, 230m long, is set out on the left of PQ and another line PS, 280m long, is set out on the right of PQ. Points R, Q and S are in same straight line. RQ and QS are 80m and 130m long respectively. Calculate the length of PQ. [8]
3. a) What do you mean by local attraction in compass surveying? List the sources of error and also explain the method of elimination of local attraction. [6]
- b) The following bearing were taken while conducting a close traverse with a compass. [10]

Line	FB	BB
AB	80°45'	260°00'
BC	130°30'	311°35'
CD	240°15'	60°15'
DA	290°30'	110°10'

At what stations do you suspect local attraction? Find the corrected bearings and also the true bearings of each line if the magnetic declination was 5°E. [10]

4. a) Describe height of instrument and rise-fall method of reducing the levels. [6]
- b) The following consecutive readings were taken with a level at intervals of 20m. The chainage and R.L. of the first point are 200m and 525.50m respectively. [10]
- 0.515, 1.720, 2.50, 3.455, 1.30, 2.460, 2.950, 3.650, 0.855, 2.430, 3.105
- The instrument was shifted after the fourth and eight readings. Find the RL of all the points and draw the longitudinal section. (In suitable proportions)
5. a) What are the fundamental lines of a theodolite? Explain it's relation with neat sketch when the theodolite is in proper adjustment. [7]
- b) Describe with sketches the methods of measuring horizontal and vertical angles by theodolite. [9]

Exam.	Regular / Back		
Level	B.E.	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I

- ✓ Candidates are required to give their answers in their own words as far as practicable
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What are plane and geodetic surveying? Write the principles of surveying [6]

b) To measure a base line, a steel tape 30m long supported at two ends standardised at 15°C with a pull of 100N (or 10 kgf) was used. Find the correction per tape length (fully support condition), if the temperature at the time of measurement was 20°C and the pull exerted was 160N (or 16 kgf). Weight of 1 cubic cm of steel is 0.0786N (or 0.00786 kgf) weight of the tape = 8N (or 0.8 kgf). $E = 2.1 \times 10^5$ kg/sq.cm. Coefficient of expansion of the tape per 1°C = 7.1×10^{-7} . [10]

2. a) Make a field sketch for chain survey and explain the complete process of mapping by linear measurement only. [8]

b) Explain different types of obstacles in chain survey and the methods to overcome these obstacles. [8]

3. a) What are quadrantal and whole circle bearings? Explain magnetic declination, isogonic line and agonic line. [6]

b) For the traverse of measured angles (angle to the left) are given in table below. Compute the adjusted angles and bearings to the nearest 0.1'. [10]

Station	Measured angles	Line	Known bearings
A	208° 7.6'	AW	234° 17.6'
B	101° 35.1'	DX	358° 18.5'
C	89° 05.3'		
D	17° 11.9'		

4. a) Explain profile levelling and cross-section levelling. [6]

b) The following consecutive readings were taken with a level and a 4m levelling staff on a continuously sloping ground at a common interval of 30 metres. [10]

0.855 (on A), 1.545, 2.335, 3.115, 3.825, 0.455, 1.380, 2.055, 2.855, 3.455, 0.585, 1.015, 1.850, 2.755, 3.845 (on B).

The R.L. of B was 1380.500 make a level field book and apply usual checks. Determine gradient of line AB.

5. a) Write the temporary adjustments in a theodolite survey. [8]

b) Distinguish between triangulation and trilateration. [8]

OR

Write various methods of plane table survey. [8]

Exam.	Regular / Back		
Level	B.E.	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
 Assume suitable data if necessary.

1. What are the primary division of surveying? [6]
2. A tape of nominal length 30m is standardized in catenary at 40N tension and found to be 29.8850m. If the mass of the tape is 0.015 kg/m, calculate the horizontal length of 16m in fully support condition. [10]
3. a) Describe the different types of offsets and explain how they are measured in chain surveying. [6]
- b) What is meant by closing error in a closed traverse? How would you adjust it graphically? [10]
4. a) Explain profile levelling and cross-section levelling with suitable sketches. [6]
- b) The following consecutive staff readings were taken on pegs at 15m interval on a continuously sloping ground : 0.895, 1.305, 2.800, 1.960, 2.690, 3.255, 2.120, 2.825, 3.450, 3.895, 1.685, 2.050 (st. A).
 RL of station A where the reading 2.050 was taken is known to be 50.250m. From the last position of the instrument two stations B and C with RL 50.800 and 51.000 respectively are to be established without disturbing the instrument workout the staff reading at B and C and complete all the work in level book form. [10]
5. a) With the help of neat sketches describe fundamental lines of theodolite. [6]
- b) Find the mean horizontal angles BAC, CAD and DAE in following cases. [10]

I.L.C.R.			
Instrument St ⁿ	Target St ⁿ	F.L.	F.R.
A	B	0°10'10"	180°10'20"
	C	62°10'10"	242°10'30"
	D	135°20'15"	315°20'35"
	E	250°30'20"	70°30'40"

5. a) Distinguish between triangulation and trilateration. [6]
- b) Write various methods of plane tabling. [10]

Original Copy

01/12-14 TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2058 Chaitra

Exam.	Regular / Back		
Level	B.E.	Full Marks	80
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time	3 hrs.

Subject: - Surveying I

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What are plane and geodetic surveying? Explain the principles of surveying. [6]
b) To layoff a base line, a steel tape 30m long standardised at 15°C with a pull of 10kg supported at two ends was used. Find the correction per tape length, if the temperature at the time of measurement was 20°C and pull exerted was 16kg. Weight of 1 cubic cm of steel is 0.00786kg. Weight of tape = 0.8kg, $E = 2.1 \times 10^6$ kg/sq.cm. Co-efficient of expansion of the tape per 1°C = 7.1×10^{-7} . [10]
2. a) Describe how would you range a survey line between two points which are not intervisible due to an intervening raised ground. [6]
b) What are possible obstacles in chain survey? Explain the methods of overcoming them and make a field sketch for detail survey by linear measurements (chain/tape). [10]
3. a) Explain (i) Optical-reading repeating theodolite and (ii) optical-reading directional theodolite. [6]
b) Compute the angle misclosure and adjusted bearings in the following closed link traverse. [10]

Adjusted bearing $AT_1 = 329^\circ 09' 21''$
Adjusted bearing $ET_2 = 105^\circ 36' 08''$

Angles (angles to the right) A = $282^\circ 17' 18''$
B = $266^\circ 48' 13''$
C = $89^\circ 16' 53''$
D = $96^\circ 36' 05''$
E = $291^\circ 27' 38''$
4. a) Explain the methods of reducing the levels. Apply arithmetic checks also. [6]
b) A differential levelling loop began and closed on BM Gate (elevation 1237.280m). The BS and FS distances were kept approximately equal. Readings taken in order are 2.863 on BM Gate, 2.147 and 1.623 on TP_1 , 2.500 and 2.027 on BMX, 2.410 and 0.933 on TP_2 , and 0.370 on BM Gate. Prepare, check and adjust the notes. [10]
5. a) What are fundamental lines in theodolite and their desired relationships? [6]
b) Explain with the help of neat sketches resection by three point problem. [10]

Exam.	Regular / Back		
	Level	B.E.	Full Marks
Programme	BCE	Pass Marks	32
Year / Part	II / I	Time.	3 hrs.

Subject: - Surveying

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.

1. a) Explain, what are the principles of surveying. Write various scales used in surveying. [6]
- b) Describe with the help of neat sketches field procedure of chain surveying. [10]
2. a) Explain principle of chain surveying. Describe what are the different types of offsets used and how they are measured in chain/tape surveying. [6]
- b) A chain line PQR crosses a river, Q and R being on the near and distant banks respectively. A perpendicular QS, 90m long is set out at Q on the left of the chain line. The respective bearings of R and P taken at S are $87^{\circ}30'20''$ and $177^{\circ}30'20''$. Find the chainage of R given the PQ is 45m and the chainage of Q is 650m. [10]
3. a) What is traverse? How do you adjust traverse graphically? [6]
- b) The following data apply to a closed "link" traverse. Compute corrected bearings, angular misclosure. [10]

Station	Measured angle (angle to the right)	Corrected bearings
<u>T₁</u>		
A	$272^{\circ}40'00''$	$310^{\circ}17'20''$
B	$267^{\circ}27'28''$	
C	$87^{\circ}02'31''$	
D	$109^{\circ}35'39''$	
E	$270^{\circ}29'59''$	
		$57^{\circ}32'52''$
<u>T₂</u>		

4. a) Explain with the help of neat sketch field procedure of two-peg test. [6]
- b) The following consecutive readings were taken with a level and 4 metre levelling staff on a continuously sloping ground at common interval of 30 metres.
0.855 (on A), 1.545, 2.353, 3.115, 3.825, 0.455, 1.380, 2.055, 2.855, 3.455, 0.585, 1.015, 1.850, 2.755, 3.945 (on B).
The R.L. of A was 380.500. Make a level book and apply usual checks. Determine the gradient of the line AB. [10]
5. a) Write temporary adjustments in a theodolite survey. [6]
- b) Explain with the help of neat sketch field method of measuring horizontal angle by i) repetition and ii) direction methods. [10]